PTO-1449 REPRODUCED ATTORNEY DOCKET NO. APPLICATION NO. 1932.2135-002 10/686,808 O I INFORMATION DISCLOSURE CITATION IN AN APPLICATION FIRST NAMED INVENTOR FILING DATE MAY 2 4 2004 & Steven K. Burke October 16, 2003 May 11, 2004 **EXAMINER** CONFIRMATION NO. GROUP (Use several sheets if necessary) Not Yet Assigned 8791 1646 , Y "UL MAY

	U.S. PATENT DOCUMENTS				
EXAM- INER INI- TIAL	REF. NO.	DOCUMENT NUMBER Number-Kind Code (if known)	ISSUE DATE / PUBLICATION DATE MM-DD-YYYY	NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT	
JAS	AA	US 2002/0051822 A1	05-02-2002	Atherton et al.	
	AB	5,487,888	01-30-1996	Mandeville, III et al.	
	AC	5,496,545	03-05-1996	Holmes-Farley et al.	
	AD	5,607,669	03-04-1997	Mandeville, III et al.	
	AE	5,618,530	04-08-1997	Mandeville, III et al.	
	AF	5,624,963	04-29-1997	Mandeville, III et al.	
	AG	5,667,775	09-16-1997	Mandeville, III et al.	
	АН	5,679,717	09-16-1997	Holmes-Farley et al.	
	AI	5,703,188	12-30-1997	Mandeville, III et al.	
	LA.	5,702,696	12-30-1997	Mandeville, III et al.	
	AK	5,693,675	12-02-1997	Mandeville, III et al.	
	AA2	5,900,475	05-04-1999	Mandeville, III et al.	
	AB2	5,925,379	07-20-1999	Mandeville, III et al.	
	AC2	6,083,497	07-04-2000	Huval et al.	
	AD2	6,177,478	01-23-2001	Holmes-Farley et al.	
	AE2	6,083,495	07-04-2000	Holmes-Farley et al.	
	AF2	6,203,785	03-20-2001	Holmes-Farley et al.	
	AG2	6,423,754	07-23-2002	Holmes-Farley et al.	
	AH2	6,509,013	01-21-2003	Holmes-Farley et al.	
	AL2	6,556,407	04-29-2003	Brando et al.	
	AJ2	US 2002/0159968 A1	10-31-2002	Petersen et al.	
	AK2	US 2003/0086898 A1	05-08-2003	Holmes-Farley et al.	
	AA3	US 2003/0133902 A1	07-17-2003	Holmes-Farley et al.	
	AB3	6,726,905	04-27-2004	Mandeville, III et al.	
	AC3	6,733,780	05-11-2004	Tyler et al.	
X	AD3	US 2002/0182168 A1	12-05-2002	Holmes-Farley et al.	

EXAMINER /	11/1	DATE CONSIDERED		
			$\sigma \rightarrow \sim 1$	
	there >		0-2-06	
@PFDestop::ODMA/MHODMA/HB	SR05:iManage:4727294			
G				

,			Officer 2 Of	
PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. APPLICATION 1932.2135-002 10/686,80		10.	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR FILING DATE Steven K. Burke October 1		, 2003	
May 11, 2004 (Use several sheets if necessary)	EXAMINER Not Yet Assigned	CONFIRMATION NO. 8791	GROUP 1646	

-			U.S. PA	ATENT DOC	UMENTS				
EXAM- INER INI- TIAL	REF. NO.	I DIDITION DATE I THE STATE I THE STATE OF T							
W	AE3	6,566,407		05-20-200	3	Holmes-Farle	ey et al.		
<u> </u>	AF3	US 2002/0187120 A1		12-12-200	2	Holmes-Fari	ey et al.		
	AG3	US 2002/0168333 A1		11-14-200	2	Burke			
	АН3	US 2002/0187121 A1		12-12-200	2	Burke	Burke		
V	A 13	US 2003/0049226 A1		03-13-200	3	Burke et al.			
	AJ3	US 2003/0039627 A1		02-27-200	3	Holmes-Farle	ey et al.		
		F	OREIGN	PATENT DO	CUMENTS				
		DOCUMENT NUMBER Country Code-Number-Kind Code (if known)	ММ	DATE -DD-YYYY	NAME OF PATENTEE OF CITED DO		TRANSLATION YES NO		
WAter	AL	WO 03/057225 A2	07-	17-2003	Genzyme Corporat	ion			
AND	AM	WO 93/04373	03-	04-1993	NPS Pharmaceutica	Pharmaceuticals, Inc.			
		·							
		OTHER DOCUMEN	TS (Inclu	ding Author,	Title, Date, Pertinent Pag	ges, Etc.)			
Moe, S., et al., "Sevelamer HCL Improves Parathyroid Hormone (PTH) and Bone Function in Peritoneal Dialysis (PD) Patients With Probable Low Turnover Bone Disease," American J. of Kidney Diseases, 37(4): A25 (abstract only-Tenth Annual Clinical Nephrology Meeting Abstracts), (2001). AS Raggi, P., et al., "Sevelamer Preserves and Calcium Reduces Trabecular Bone Mineral Density," J.					ses,				
	АТ	American Society of Nephrology, 14: 502A (abstract only), (2003). Katsumata, K., et al., "Sevelamer Hydrochloride Prevents Ectopic Calcification and Renal							
Dalas	Osteodystrophy in Chronic Renal Failure Rats," Kidney International, 64: 441-450 (2003). AU Slatopolsky, E.A., et al., "RenaGel®, a Nonabsorbed Calcium- and Aluminum-Free Phosphate Binder, Lowers Serum Phosphorus and Parathyroid Hormone," Kidney International, 55: 299-307 (1999).				der,				

EXAMINER	Schlich	DATE CONSIDERED & Z-06	
@PFDesktop\:ODMA/MHODMA/HBSF	R05;iManage;472729;1		

PTO-1449 REPRODUCED	ATTORNEY DOCKET NO. 1932.2135-002		APPLICATION NO. 10/686,808	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Steven K. Burke		FILING DATE October 16, 2003	
May 11, 2004 (Use several sheets if necessary)	EXAMINER Not Yet Assigned	CONF 8791	IRMATION NO.	GROUP 1646

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
JHS	AV	Chertow, G.M., et al., "Sevelamer With and Without Calcium and Vitamin D: Observations From a Long-Term Open-Label Clinical Trial," J. Of Renal Nutrition, 10(3): 125-132 (2000).
	AW	Chertow, G.M., et al., "Hyperparathyroidisnm and Dialysis Vintage," Clinical Nephrology, 54(4): 295-300 (2000).
	AX	Malluche, H.H., and Mawad, H., "Management of Hyperphosphataemia of Chronic Kidney Disease: Lessons From the Past and Future Directions," Nephrol. Dial. Transplant., 17: 1170-1175 (2002).
	AY	Cannata-Andía, J.B., and Rodríguez-García, M., "Hyperphosphataemia as a Cardiovascular Risk Factor -How to Manage the Problem," Nephrol. Dial. Transplant., 17(Suppl. 11): 16-19 (2002).
	AZ	Nolan, C.R., and Qunibi, W.Y., "Calcium Salts in the Treatment of Hyperphosphatemia in Hemodialysis Patients," Current Opinion in Nephrology and Hypertension, 12: 373-379 (2003).
	AR2	Čižman, B., "Hyperphosphataemia and Treatment With Sevelamer in Haemodialysis Patients," Nephrol. Dial. Transplant., 18(Suppl. 5): v47-v49 (2003).
	AS2	Coco, M., and Rush, H., "Increased Incidence of Hip Fractures in Dialysis Patients With Low Serum Parathyroid Hormone," Am. J. Kidney Diseases, 36(6): 1115-1121 (2000).
	AT2	Taal, M.W., et al., "Risk Factors for Reduced Bone Density in Haemodialysis Patients," Nephrol. Dial. Transplant., 14: 1922-1928 (1999).
	AU2	Taal, M.W., et al., "Total Hip Bone Mass Predicts Survival in Chronic Hemodialysis Patients," Kidney International, 63: 1116-1120 (2003).
	AV2	Braun, J., "et al., "Electron Beam Computed Tomography in the Evaluation of Cardiac Calcifications in Chronic Dialysis Patients," American J. Kidney Diseases, 27(3): 394-401 (1996).
	AW2	Cozzolino, M., et al., "Role of Calcium-Phosphate and Bone-Associated Proteins on Vascular Calcification in Renal Failure," J. Am. Soc. Nephrol., 12: 2511-2516 (2001).
	AX2	Loghman-Adham, M., "Phosphate Binders for Control of Phosphate Retention in Chronic Renal Failure," Pediatr. Nephrol., 13: 701-708 (1999).
	, AY2	Elder, G., "Pathophysiology and Recent Advances in the Management of Renal Osteodystrophy," J. Bone and Mineral Research, 17(12): 2094-2105 (2002).

EXAMINER	C 11	DATE CONSIDERED
	School 2006	9-7-61
	- govern	2 6 96
@PEDesking-ODMAMHODMAA	/BSR05-iManage-472720-1	

PTO-1449 REPRODUCED			application no. 10/686,808	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	FIRST NAMED INVENTOR Steven K. Burke		FILING DATE October 16, 2003	
May 11, 2004 (Use several sheets if necessary)	EXAMINER Not Yet Assigned	CONF	RMATION NO.	GROUP 1646

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)					
AZ2	Bardin, T., "Musculoskeletal Manifestations of Chronic Renal Failure," Curr. Opin. Rheumatol., 15: 48-54 (2003).					
AR3	Albaaj, F., and Hutchison, A.J., "Hyperphosphataemia in Renal Failure (Causes, Consequences and Current Management)," <i>Drugs</i> , 63(6): 577-596 (2003).					
AS3	Martin, C.J., and Reams, S.M., "The Renal Dietitian's Role in Managing Hyperphosphatemia and Secondary Hyperparathyroidism in Dialysis Patients: A National Survey," J. Renal Nutrition, 13(2): 133-136 (2003).					
AT3	Fontaine, M.A., et al., "Fracture and Bone Mineral Density in Hemodialysis Patients," Clinical Nephrol., 54(3): 218-226 (2000).					
AU3	Kleinpeter, M.A., "Spectrum of Complications Related to Secondary Hyperparathyroidism in a Peritoneal Dialysis Patient," Advances in Peritoneal Dialysis, 16: 286-290 (2000).					
AV3	Chertow, G.M., et al., "Poly(allylamine hydrochloride) (RenaGel®): a noncalcemic phosphate binder for the treatment of hyperphosphatemia in chronic renal failure," Am. J. Kid. Dis., 29: 66-71 (1997).					
AW3	Goldberg, D.I., et al., "Effect of RenaGel, a non-absorbed, calcium-and aluminum-free phosphate binder, on serum phosphorus, calcium, and intact parathyroid hormone in end-stage renal disease patients," Nephrol. Dial. Transplant., 13: 2303-2310 (1998).					
AX3	Chertow, G.M., et al., "A randomized trial of sevelamer hydrochloride (RenaGel®) with and without supplemental calcium. Strategies for the control of hyperphosphatemia in hemodialysis patients," Clin. Nephrol., 51: 18-26 (1999).					
AY3	Bleyer, A.J., et al., "A comparison of the calcium-free phosphate binder sevelamer hydrochloride with calcium acetate in the treatment of hyperphosphatemia in hemodialysis patients," Am. J. Kid. Dis., 33: 694-701 (1999).					
AZ3	Chertow, G.M., et al., "Long-term effects of sevelamer hydrochloride on the calcium x phosphorus product and lipid profile of haemodialysis patients," Nephol. Dial. Transplant., 14: 2907-2914 (1999).					
AR4	Chertow, G.M., et al., "Sevelamer attenuates the progression of coronary and aortic calcification in hemodialysis patients," Kidney Int., 62: 245-252 (2002).					

EXAMINER (DATE CONSIDERED @PFDesktopk:ODMA/MHODMA/HBSR05;iManage;472729;1